	Application No.	Applicant(s)
	09/726,819	MOGRE ET AL.
Notice of Allowability	Examiner	Art Unit
	Paulos M. Natnael	2614
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RICO of the Office or upon petition by the applicant. See 37 CFR 1.313	ars on the cover sheet with the coor of the coor of this apportant of the coordinate communication of the coordinate communication of the coordinate communication of the coordinate communication of the coordinate coordin	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>5-10-05</u> .		
2. The allowed claim(s) is/are <u>1-4,6-9,11-14,16-19 and 21-24</u> .		
3. X The drawings filed on 30 November 2000 are accepted by t	he Examiner.	,
 4. ☐ Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority doc International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted in INFORMAL PATENT APPLICATION (PTO-152) which gives a complete of the priority document in Including changes required by the Notice of Draftsperson of the priority of	been received. been received in Application No uments have been received in this of this communication to file a reply ENT of this application. Ited. Note the attached EXAMINER is reason(s) why the oath or declarate be submitted. On's Patent Drawing Review (PTO- Amendment / Comment or in the Comment or in the Comment of the drawing header according to 37 CFR 1.121(control of the BIOLOGICAL MATERIAL in the comment of the drawing header according to 37 CFR 1.121(control of the BIOLOGICAL MATERIAL in the comment of the drawing header according to 37 CFR 1.121(control of the biological of the biolo	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF tion is deficient. 948) attached Office action of the back) of d). nust be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 3), 7. ☐ Examiner's Amenda	è

Application/Control Number: 09/726,819 Page 2

Art Unit: 2614

DETAILED ACTION

Allowable Subject Matter

- 1. Claims **1-4,6-9, 21, 22,26** are allowable over the prior art.
- 2. The following is a statement of reasons for the indication of allowable subject matter: the prior art fails to disclose a combination of the following method and apparatus limitations comprising: a formatter configured to format a plurality of data frames of received in a transport stream by inserting a plurality of synchronization data into said data frames to produce a block stream; an error correction encoder configured to encode said block stream to produce an error protected block stream; an interleave module configured to interleave protected block stream to produce a data stream; an inserter configured to insert a synchronization signal into said data stream; and a turbo encoder configured to encode said data stream to produce an encoded stream, as in claim 1; a method for transmitting comprising the steps of: formatting a plurality of data frames received in a transport stream by inserting a plurality of synchronization data into said data frames to produce a block stream; error correction encoding said block stream to produce an error protected block stream; interleaving said error protected block stream to produce a data stream; inserting a synchronization signal into said data, turbo encoding said data stream to produce encoded stream, as claim 6; a converter configured to convert a symbol stream into an encoded stream comprising a plurality of symbols into an encoded stream; turbo decoder configured to decode said encoded stream to produce an data stream; a synchronization remover configured to remove a

synchronization signal from said data stream; a de-interleave module configured to arrange said data stream into an error protected block stream; an error correction decoder configured to decode said error protected block stream to produce a block stream, a formatter configured to remove a plurality of synchronization data from a plurality of data frames within said block stream to produce a transport stream, as in claim 11 and its equivalent method claim of 16;

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paulos M. Natnael whose telephone number is (571) 272-7354. The examiner can normally be reached on 10:00am - 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on (571)272-7353. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2614

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Páulos M. Natnael Primary Examiner Art Unit 2614

PMN August 1, 2005